



EXPERIENCE WATER COMING TO LIFE WITH SUPERIOR TECHNOLOGY

PRESENTING
WATER COOLER & DISPENSER RANGE



Authorised Franchisee

Head Office: Plot No. 10, Trimurti Nagar, PAC-Eidgah Road, Jwalapur, Haridwar – 249,407, Uttarakhand, Ph: 9997977002 8077246641, 9870967878, Website: www.prakashenterprises.info

Branch Office

72/59 Aaraghar, Near Panchayati Mandir, Race Course Road, Dehradun 248 001, Uttarakhand Phoney 9997977002 (MD) | 9870967878 (Sales - HDR) | | 8077246641 (Sales - D.Dun) Website : www.prakashenterprises.info | info@prakashenterprises.info

Customer Care Number - 94115 66696 Email - info@prakashenterprises.info







LEADING THE PATH TO YOUR COMFORT AND SAFETY WITH STYLE

A trusted household consumer durables brand dedicated to providing the best-in-class experience to its consumers far and wide, USHA's new range of Water coolers and dispensers is exclusively designed to suit your everyday water needs without compromising on your safety.

Choose from our new range of Water coolers and Dispensers, now touchless to provide the safety of use and contactless dispensing at all times. The advanced technology features like digital temperature control and programmed water dispensing functions deem our models perfect for your modern office spaces without compromising on performance and style.



Authorised Franchisee

Head Office: Plot No. 10, Trimurti Nagar, PAC-Eidgah Road, Jwalapur, Haridwar 249,407, Uttarakhand, Ph: 9997977002 8077246641, 9870967878, Website: www.prakashenterprises.info

Branch Office

72/59; Aaraghar, Near Panchayati Mandir, Race Course Road, Dehradun 248 001, Uttarakhand Phone (9997977002 (MD) | 9870967878 (Sales - HDR) | | 8077246641 (Sales - D.Dun) Website : www.prakashenterprises.info | info@prakashenterprises.info

Customer Care Number - 94115 66696 Email - info@prakashenterprises.info



USHA WATER COOLERS

POWERED TO PERFORM.

MADE TOUGH TO OUTPERFORM.

Usha's range of water coolers is designed to deliver like no other. While their efficient design and rugged body give them a long life, their low power consumption and faster cooling give you a best-in-class experience, every time.







TOUCHLESS DISPENSING. DESIGNED FOR SAFETY. STYLED FOR COMPLIMENTS.

4080G VCM SENSOR

Designed to ensure safe and contactless dispensing all times, the new touchless VCM water cooler is environment friendly and consumes less power. Suited for a dash of colour to Brighten up your space, the model comes with bright design aesthetics, food-grade stainless steel tank and chrome-plated brass faucets to ensure safe drinking water and a longer product life.



Touchless dispensing

Sensor based contactless dispensing Premium floral orchid design aesthetics

Food grade stainless steel tank Durable chrome plated brass faucets



*Contactless dispensing only,the actual faucet design may differ.

POWER CONSUMPTION 450 W

> R-134a (Non CFC) Refrigerant

> > OWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 40 L/h

STORAGE CAPACITY

80 L

NUMBER OF FAUCETS

2

TOUCHLESS



MEET THE MULTI-PERFORMER

MULTIFAUCET

A high-performance multi faucet water cooler with a longer life that comes with faucets on all three sides for rush-hour use, ensuring convenience and safe drinking water at all times.

Triple face design with taps on three sides for convenience during rush hours

Faucets at varied heights to cater to all kinds of users, including kids

Greater spacing between the tap and tray for easy filling of bottles up to 1 litre Anticorrosive blue fin condenser for power efficient cooling



POWER CONSUMPTION

450 W

REFRIGERAN

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 40 L / h

STORAGE CAPACITY

80 L

NUMBER OF FAUCETS

4





"The picture is a two dimensional image of the product.





SAFETY WITH CONTACTLESS WATER DISPENSING

SENSOR TOUCHLESS

Designed for safe and contactless dispensing,

this water cooler is ergonomically designed

with a rugged stainless-steel body and

anticorrosive blue fins for a longer product life.

Sensor-based contactless dispensing

Anticorrosive blue fins on condenser for longer life Stainless steel body for longer product life

Ergonomic design

Lockable top lid 

AVAILABLE SENSOR

TOUCH BASED OPTIONS

 *SS 4080
 SS 4080 VCM
 *SS 4080
 SS 4080 VCM
 6080 B
 6080 B

 with Power
 with Power
 with Dower
 with Power
 <t

POWER CONSUMPTION*

450 W & 775 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPL

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 40 L/h & 60 L/h

STORAGE CAPACITY

80 L

NUMBER OF FAUCETS

2

TOUCHLESS





*Also available in floral wine color

*Contactless dispensing only,the actual faucet design may differ.



TOP IN PERFORMANCE AND LOOKS TOO

SS2020BG

Ergonomically designed for greater safety and more operational convenience through its hybrid design, this water cooler is also environment friendly and boasts a longer product life, ensuring that you always have pure drinking water.

Comes with a reliable reciprocating compressor for longer product life High-quality stainless steel tank and components for safe water Hybrid model with top mounting water bottle option for convenience

Specially designed float valves made of food-grade plastic Adjustable pedestals made of highly non-corrosive and strong material



POWER CONSUMPTION

390 W

REFRIGERAN

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 20 L / h

STORAGE CAPACITY 20 L

NUMBER OF FAUCETS

1



SP2040G

Enjoy the convenience of faster cooling with this water cooler. Equipped with superior grooved copper tubes, it comes with a high efficiency compressor that consumes less power while its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION

390 W

R-134a (Non CFC)

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 20 L/h

STORAGE CAPACITY 40 L

NUMBER OF FAUCETS



SS2040G/NC

Ergonomically designed, this water cooler cools water faster while its superior grooved copper tubes and high-efficiency compressor consume less power. Its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION

390 W

R-134a (Non CFC)

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 20 L/h

40 L

NUMBER OF FAUCETS



Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong

Authorized Franchisee PRAKASH" **ENTERPRISES**

SP4080

Designed for faster cooling, this model has superior grooved copper tubes and a high-efficiency compressor consume less power consumption. The stainless steel body and blue fin condenser coil technology ensure a longer product life.



POWER CONSUMPTION

450 W

R-134a (Non CFC)

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 40 L/h

STORAGE CAPACITY 80 L

NUMBER OF FAUCETS



Adjustable

pedestals made

of highly

non-corrosive

and strong

material

SS4080

Ergonomically designed for greater safety and more operational convenience, this water cooler is also environment friendly and boasts a longer product life. ensuring that you always have pure drinking water.



POWER CONSUMPTION

450 W

R-134a (Non CFC)

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 40 L/h

80 L

NUMBER OF FAUCETS



product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Comes with a reliable reciprocating compressor for longer

SP6080

Ergonomically designed, this water cooler cools water faster.

Its superior grooved copper tubes and high-efficiency
compressor consume less power while its steel body and
blue fins on the condenser coil give it a longer life.



POWER CONSUMPTION

775 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 60 L / h

STORAGE CAPACITY 80 L

NUMBER OF FAUCETS

XL

SS6080

Ergonomically designed for greater safety and more operational convenience, this water cooler is also environment friendly and boasts a longer product life, ensuring that you always have pure drinking water.



POWER CONSUMPTION

775 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLI

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 60 L / h

STORAGE CAPACITY 80 L

NUMBER OF FAUCETS

2

XL

Comes
with a reliable
reciprocating
compressor
for longer
product life

High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic Adjustable pedestals made of highly non-corrosive and strong material Comes with a reliable reciprocating compressor for longer product life High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic Adjustable pedestals made of highly non-corrosive and strong

SP60120

Enjoy faster cooling, greater safety, and convenience with this ergonomically designed water cooler. Its superior grooved copper tubes and high-efficiency compressor consume less power while its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION 775 W

REFRIGERANI

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 60 L / h

STORAGE CAPACITY
120 L

NUMBER OF FAUCETS

XL

SS60120

Ergonomically designed for greater safety and operational convenience, this water cooler is environment friendly and boasts a longer product life to give you pure drinking water, always.



POWER CONSUMPTION

775 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 60 L / h

STORAGE CAPACITY

120 L

NUMBER OF FAUCETS

XL

Comes with a reliable reciprocating compressor for longer product life High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic Adjustable pedestals made of highly non-corrosive and strong material Comes with a reliable reciprocating compressor for longer product life High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material



SP150150G

Enjoy faster cooling, greater safety and convenience with this ergonomically designed water cooler. Its superior grooved copper tubes and high-efficiency compressor consume less power while its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION 1 550 W

REFRIGERANI

R-134a (Non CFC)

POWER SLIPPIN

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 150 L / h

STORAGE CAPACITY

150 L

NUMBER OF FAUCETS



SS150150G

Ergonomically designed for greater safety and operational convenience, this water cooler is environment friendly and boasts a longer product life so that you always have pure drinking water.



POWER CONSUMPTION

1 550 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 150 L/h

STORAGE CAPACITY

NUMBER OF FAUCETS



Comes with a reliable reciprocating compressor for longer product life High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material Comes
with a reliable
reciprocating
compressor
for longer
product life

High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic Adjustable pedestals made of highly non-corrosive and strong



SP170400NC

Enjoy the convenience of faster cooling with this ergonomically designed water cooler. Its superior grooved copper tubes and high efficiency compressor consume less power while its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION 1 550 W

R 22/ R-134a (Non CFC)

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 170 L/h

STORAGE CAPACITY 400 L

NUMBER OF FAUCETS



SS170400NC

Ergonomically designed for greater safety and operational convenience, this water cooler is environment friendly and boasts a longer product life so that you have pure drinking water, always.



POWER CONSUMPTION

1 550 W

R 22/ R-134a (Non CFC)

Voltage: 230 V AC Frequency 50 Hz 1 Phase AC

RATE OF COOLING 170 L/h

400 L

NUMBER OF FAUCETS



Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong





USHA WATER DISPENSERS

TECHNOLOGY YOU CAN TRUST

Usha water dispensers are the perfect choice for your office space, promising best-in-class cooling while consuming less power.











A TALL STANDING WATER DISPENSER **ERGONOMICALLY DESIGNED** TO PUT LESS PRESSURE ON YOUR BACK

I SENSE

A performance-driven tall digital dispenser, I Sense comes with bottom loaded water compartment to avoid heavy lifting of water bottles. The soft push buttons placed at a convenient height ensure maximum

1.3 m tall height dispensing to prevent backache problems

Programmed water dispensing in 200 mL / 300 mL / 400 mL / 500 mL capacity for measuring everyday glass of health

comfort of use, thereby preventing backache troubles.

Digital control water dispensing hot water: up to 85°c. cold water: up to 15°c

Bottom loading water bottle compartment to avoid heavy weightlifting

CFC free eco-friendly r-134a refrigerant



MEGG

NUMBER OF FAUCETS



CFC free eco-friendly R 134a refrigerant Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC POWER CONSUMPTION ₩ 90 W 6580 W I SETISE RATE OF COOLING/HEATING ※2.5L/hr 6 4L/h 0 1L ₩3L





CONTACTLESS AND FLAWLESS IN EVERY SENSE.

INSTAFRESH SENSOR

A sleek and compact water dispenser with sensor-based dispensing for safety, this model comes with anti-rust faucets and CFC free refrigerants to provide eco-friendly water solutions.

Sensor technology for contactless dispensing

Individual faucets Compact and sleek design for hot, normal suitable for office and cold water or household for ease of operation

> Anti-rust faucets

CFC free eco-friendly R 134a refrigerant



Touchless Dispensing

The distance between the hand and the sensor



NUMBER OF FAUCETS

CFC free eco-friendly R 134a refrigerant

Voltage: 230 V AC Frequency : 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 90 W 6 500 W

RATE OF COOLING/HEATING

∦3L 61L

TOUCHLESS



INSTAFRESH

FLOOR STANDING

Designed for convenience and safety, the instafresh is an easy to use water dispenser that comes with individual faucets for hot, cold and normal water. Its CFC free eco-friendly refrigerant makes it an environment friendly product.



NUMBER OF FAUCETS

REFRIGERANI

CFC free eco-friendly R 134a refrigerant

POWER SUPPL

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

RATE OF COOLING/HEATING

STORAGE CAPACIT

继3L (



INSTAFRESH

FLOOR STANDING WITH COOLING CABINET

Ideal for use in movie halls, cafeterias, colleges, pantries, and more, it is a compact and easy to operate water dispenser. Have pure drinking water always with its anti-rust dispensers and its efficient cooling, especially in hot Indian conditions.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly R 134a refrigerant

POWER SUPPL

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 100 W 6 500 W

RATE OF COOLING/HEATING

朱2.5L/h 65L/h

STORAGE CAPACITY

₩3L

101L



Compact and sleek design to fit into any setting

Individual faucets for hot, normal and cold water Designed for efficient cooling even in hot indian conditions Safety lock on hot water faucet CFC free eco-friendly R134a refrigerant

18 L cooling cabinet with temperature ≤ 14°C for storing beverages Compact and sleek design to fit into any setting

Individual faucets for hot, normal and cold water Safety lock on hot water faucet

CFC free eco-friendly R134a 'refrigerant



AQUAGENIE

FLOOR STANDING

Enjoy hot and cold water whenever you want with the Aquagenie+, a sleek and compact water dispenser that cares for your family's safety and health. The model comes with a child lock on hot water faucet to ensure the safety of use and the anti-rust faucets always provide safe drinking water.



NUMBER OF FAUCETS

CFC free eco-friendly R 134a refrigerant

Voltage: 230 V AC Frequency : 50 Hz 1 Phase AC

POWER CONSUMPTION

RATE OF COOLING/HEATING

※ 2.5L/h 65L/h

₩3L

61L

AQUAGENIE

FLOOR STANDING WITH COOLING CABINET

Enjoy safe drinking water with the Aquagenie+, a sleek and compact water dispenser with 18 L cooling cabinet for storing your cold beverages. This model comes with a safety lock on hot water faucet and always ensures safety and convenience.



CFC free eco-friendly R 134a refrigerant

Voltage: 230 V AC Frequency : 50 Hz 1 Phase AC

POWER CONSUMPTION

₩100 W 6 500 W

RATE OF COOLING/HEATING

梁2.5L/h 65L/h

₩3 L

1 1 L



Compact and fit into any

Individual faucets for hot, normal and

Safety mesh for rodent control

Safety lock on hot water faucet

CFC free eco-friendly R134a refrigerant

18 L Cooling cabinet with temperature upto 14°C for storing beverages

Compact and sleek design to fit into any setting

Safety mesh for rodent control Safety lock on hot water faucet

CFC free eco-friendly R134a refrigerant





LAGUNA

FLOOR STANDING

This sleek water dispenser is designed to fit into any setting, whether it be your office or household. Equipped with CFC free eco-friendly refrigerant, this model comes with child lock hot water faucets for extra safety and ensures you safe water with its anti-rust and anti-bacterial faucets.



NUMBER OF FAUCETS

CFC free eco-friendly R 134a refrigerant

Voltage: 230 V AC Frequency : 50 Hz 1 Phase AC

POWER CONSUMPTION

RATE OF COOLING/HEATING

※3L/h 65L/h

₩3.5L/h 6 1L

LAGUNA

FLOOR STANDING WITH COOLING CABINET

This water dispenser is sleek and compact, occupies less space, and is suitable for any place. Its high cooling capacity and cold water storage help with efficient cooling even in hot Indian conditions, ensuring cool, pure drinking water always.



NUMBER OF FAUCETS

CFC free eco-friendly R 134a refrigerant

Voltage: 230 V AC Frequency : 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 120 W 6500 W

RATE OF COOLING/HEATING

继 3.5L/h 6 1L



Single faucet dispensing for convenience

Hot water temperature up to 85°C suitable for making tea or coffee

Anti rodent power cord Safety lock on hot water faucet

CFC free eco-friendly R134a refrigerant

18 L Cooling cabinet with temperature upto 14°C for storing beverages

Single faucet dispensing for convenience

Hot water temperature up to 85°C suitable for making tea or coffee

Safety lock on hot water faucet

CFC free eco-friendly R134a refrigerant



INSTAFRESH

TABLE TOP

Designed for greater convenience and safety, the Instafresh Table Top is an easy to use water dispenser that comes with individual faucets for Hot. Cold and Normal water. It is ideal for domestic use as well as public use such as in theatres, canteens, offices and more.



NUMBER OF FAUCETS

CFC free eco-friendly R 134a refrigerant

Voltage: 230 V AC Frequency : 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 90 W 6 500 W

RATE OF COOLING/HEATING

※3L/h 65L/h

#3L 61L

AQUAGENIE

TABLE TOP

Ideal for use in colleges, movie halls, pantries, cafeterias and more, the Aquagenie+ is a sleek and compact water dispenser that cares for your safety and health. Its child lock hot water faucets and anti-rust dispenser along with its CFC free eco-friendly refrigerants make it a safe and environment friendly water solution.

NUMBER OF FAUCETS

CFC free eco-friendly R 134a refrigerant

Voltage: 230 V AC Frequency : 50 Hz 1 Phase AC

POWER CONSUMPTION

RATE OF COOLING/HEATING

祭2.5L/h 65L/h



Compact and sleek design to fit into any setting

Designed for efficient cooling even in hot indian conditions

Safety mesh for rodent control Child lock on hot water faucets

CFC free eco-friendly R134a refrigerant

Compact and sleek design to fit into any setting

Individual faucets for hot, normal and cold water

Individual faucets for hot, normal and cold water

Child lock on hot water faucets

CFC free eco-friendly R134a refrigerant



LAGUNA

TABLE TOP

This tabletop water dispenser is sleek and compact, occupying less space and is suitable for personal and professional use. It ensures efficient cooling so that you have cool, pure drinking water always, even in hot Indian conditions.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly R 134a refrigerant

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

RATE OF COOLING/HEATING

※3L/h 65L/h

TORAGE CAPACITY



Hot water temperature up to 85°C suitable for making tea or coffee

Designed for efficient cooling even in hot Indian conditions Compact and sleek design with single faucet dispensing

ct Safety ek lock on hot vith water faucets Anti rodent power cord CFC free eco-friendly R134a refrigerant



Authorised Franchisee:

Head Office: Plot No. 10, Trimurti Nagar, PAC-Eidgah Road, Jwalapur, Haridwar – 249 407, Uttarakhand, Ph: 9997977002 8077246641, 9870967878, Website: www.prakashenterprises.info

Branch Office

72/59, Aaraghar, Near Panchayati Mandir, Race Course Road, Dehradun 248 001, Uttarakhand Phone : 9997977002 (MD) | 9870967878 (Sales - HDR) | 48077246641 (Sales - D.Dun) Website : www.prakashenterprises.info | Email : md@prakashenterprises.info | info@prakashenterprises.info

Customer Care Number - 94115 66696 Email - info@prakashenterprises.info